

RideDNA

Handling Index Analysis

Generated June 25, 2026

Valor

Size: M | Configuration: Airborne Valor M

Trail: 60.1mm	Wheel Flop: 18.4mm	HTA: 71.1°	Fork Offset: 54.0mm
Front Center: 600mm	Chainstay: 433mm	Wheelbase: 1023mm	BB Drop: 81.0mm

AGILITY INDEX™

Score: 76.3/100

32% Ground Trail	-17.2
26% Wheel Flop	+5.9
10% Front Center	-16.1
10% Chain Stay	-19.9
8% Gyroscopic MOI	+5.1
6% BB Drop	-12.2
4% Axle Height	+2.4
4% Pneumatic Trail	-1.6

STABILITY INDEX™

Score: 55.8/100

20% Wheel Flop	-3.9
15% Ground Trail	+14.5
15% Front Center	+12.9
15% Gyroscopic MOI	+13.0
10% Chain Stay	0.0
10% Axle Height	-2.4
8% BB Drop	+18.3
7% Pneumatic Trail	+10.5

AGILITY: Higher contributions → more reactive

STABILITY: Higher contributions → more planted

Airborne Valor (M) — All-Road Analysis

1. First Impressions

This is an all-road bike with an identity crisis—in the best possible way. The Valor sits at the crossroads of spirited road riding and rough-surface confidence, built around a Grade 9 Titanium frame that will outlast decades of exploration. With 60mm of trail and a remarkably upright 1.56 stack-to-reach ratio, this configuration prioritizes comfort and stability over outright agility. The titanium's natural compliance transforms chip-seal and deteriorated pavement into rideable roads, while the generous tire clearance (currently running 32mm, capable of 38mm at this chainstay length) gives you the freedom to choose between road speed and gravel capability with a simple wheel swap.

2. Agility Index Analysis — Score: 76.3/100

The 600mm front center creates a deliberate, measured steering response—this bike doesn't dart into turns, it flows into them with predictable grace. Weight distribution shifts noticeably rearward on steep climbs, keeping the front wheel planted rather than wandering. The 433mm chainstays sit at the long end of the all-road spectrum, providing exceptional rear-wheel traction on loose or rough surfaces but sacrificing some of the snappy acceleration feel of shorter performance road bikes. This front/rear balance creates a bike that rewards smooth, steady power application rather than explosive sprints—the chainstays anchor the rear wheel with authority, making the Valor feel planted and composed when the road surface deteriorates. The agility score reflects a bike that responds to rider input without feeling nervous or twitchy.

3. Stability Index Analysis — Score: 55.8/100

The 1023mm wheelbase provides solid straight-line tracking and high-speed composure, though it's not exceptionally long by all-road standards. Where this geometry truly distinguishes itself is the 81mm BB drop—significantly lower than typical endurance road bikes (70-75mm). This drops the system's center of mass closer to the road, creating remarkable cornering confidence and allowing deeper lean angles without the sensation of tipping over. The 76.3 agility versus 55.8 stability balance reveals a bike that's responsive enough for spirited group rides but stable enough to inspire confidence on fast, rough descents. This isn't a sluggish touring bike, nor is it a nervous criterium machine—it occupies the sweet spot where engagement meets composure, perfect for riders who love descending with confidence and cornering with precision on roads that aren't always smooth.

4. Steering Dynamics

The 60.1mm trail creates moderate self-centering torque—enough to keep the bike tracking true through sweeping bends without constant correction, but not so much that tight corners require wrestling the bars. At speed, this trail value generates a stabilizing force that builds confidence on descents; the faster you go, the more planted the front end feels. The 18.4mm wheel flop acts as "power steering," assisting turn initiation with a gentle falling-into-the-turn sensation that makes cornering feel natural and intuitive. This is low-to-moderate flop territory, meaning the bike maintains a relatively constant radius through corners—once you commit to a line, the Valor holds it predictably without mid-corner corrections. High-flop bikes tend to fall into tighter arcs mid-corner, requiring active steering adjustments; this geometry avoids that nervousness.

Counter-steering works intuitively here: a gentle push on the inside bar initiates lean, the wheel flop assists the drop into the turn, and the moderate trail holds the line through the apex. The 71.1° head tube angle shines in the 20-35 mph range—confident and composed without feeling sluggish. On fast descents (35+ mph), the trail's self-centering effect intensifies, creating a locked-in, planted sensation that makes technical descents feel manageable rather than terrifying. The titanium frame's vibration damping combines with this stable steering geometry to filter out high-frequency chatter from rough pavement, allowing the rider to focus on line choice rather than fighting the bike.

5. Comfort & Compliance

Grade 9 Titanium's natural compliance transforms this bike's character on imperfect roads. The frame absorbs high-frequency vibration from chip-seal, expansion joints, and deteriorated pavement before it reaches your hands and shoulders—you feel the road's texture without the punishing harshness of aluminum or the artificial isolation of carbon. The 32mm tires amplify this effect, providing a supple contact patch that works in harmony with the frame's inherent flex. On a four-hour ride over mixed surfaces, the difference is measurable: fresher hands, less shoulder tension, reduced lower back fatigue.

Airborne Valor M

RideDNA AI Analysis

The 81mm BB drop lowers your center of mass, which paradoxically improves comfort by allowing a more relaxed upper body position during cornering—you're not fighting to stay upright, you're settled into the bike. The titanium's progressive compliance means small bumps disappear entirely, while larger impacts still transmit useful feedback about road conditions. This bike adapts gracefully to the full spectrum from smooth tarmac to rough back roads—the frame never feels harsh, and the generous tire clearance means you can transform the ride character completely by mounting 35-38mm rubber for truly deteriorated surfaces. The Valor doesn't isolate you from the road; it filters the road, preserving the joy of feeling connected while eliminating the punishment.

6. Climbing & Endurance Profile

The 433mm chainstays create stable, predictable climbing dynamics. On steep grades (8%+), weight shifts rearward naturally, and these longer stays keep the rear wheel planted with excellent traction—no wheel spin on loose or rough climbs. The trade-off is a slightly less explosive seated climbing feel compared to shorter performance chainstays (415-420mm), but the benefit is remarkable stability when standing or navigating uneven gradient changes. This bike rewards smooth, steady power application rather than aggressive out-of-the-saddle attacks.

The 1.56 stack-to-reach ratio creates a very upright position that reduces lower back strain on long climbs, though some riders may feel slightly disconnected from the front end when really pushing hard. For 100+ km endurance rides, this geometry excels—the relaxed position is sustainable for hours, and the titanium's vibration damping means you arrive at the top of a long climb with fresher muscles. Descending recovery is confident and quick; the low BB drop and moderate trail inspire trust on technical descents, allowing you to carry speed through corners and transition smoothly back to flat roads or the next climb without needing to scrub momentum.

7. Fit Context

The 572mm stack and 368mm reach create an exceptionally upright riding position—the 1.56 stack-to-reach ratio places this firmly in maximum-comfort territory, more upright than most endurance road bikes (typically 1.45-1.50). This is a bike for riders who prioritize all-day comfort and visibility over aerodynamic efficiency or aggressive positioning. The 155mm head tube provides generous spacer flexibility, though at this stack height, most riders will already have the front end exactly where they want it.

The 542mm effective top tube creates a relatively compact cockpit that keeps the rider's weight centered over the bike rather than stretched forward. Because the rider comprises 80-90% of the system's total mass, this upright position shifts the combined center of mass slightly rearward, which interacts beautifully with the 433mm chainstays—your weight naturally sits over the rear wheel, enhancing climbing traction and cornering stability. On descents, you can easily shift weight forward by dropping into the drops and moving forward on the saddle, loading the front wheel for maximum grip and confidence.

This fit serves riders who love long, exploratory rides over varied terrain, who value comfort and confidence over outright speed, and who appreciate a bike that doesn't demand an aggressive, tucked position. Taller riders (5'8"-5'11") will find this a natural fit, though the upright position may feel too relaxed for riders seeking a more engaged, performance-oriented posture.

8. Competition Comparison

- ****Trek Domane SLR Gen 4 (54cm)**:** Trail 59.0mm, HTA 71.3°, CSL 420mm
 - 1mm less trail is negligible; steering feel will be nearly identical in real-world riding
 - 13mm shorter chainstays create snappier acceleration but slightly less rear-wheel traction on rough climbs
 - Fork A2C 381mm rigid; this tight race-oriented geometry severely limits fork replacement options—owner must match within ± 3 mm or handling changes noticeably
- ****ENVE Fray (54)**:** Trail 59.5mm, HTA 72.0°, CSL 415mm
 - 0.6mm less trail is imperceptible; the ENVE will steer nearly identically in corners
 - 18mm shorter chainstays make the ENVE feel more responsive under power but less stable on rough descents
 - Fork A2C 382mm rigid; hyper-optimized race geometry leaves no room for fork experimentation—switching forks risks dramatic handling shift
- ****Cannondale Synapse Carbon (54.0)**:** Trail 61.0mm, HTA 71.3°, CSL 425mm
 - 1mm more trail is negligible; self-centering torque will feel nearly identical to this Valor config

Airborne Valor M

RideDNA AI Analysis

- 8mm shorter chainstays give the Synapse slightly quicker acceleration but less planted feel on rough roads
- Fork A2C 393mm rigid; this moderate endurance A2C allows some fork flexibility but still constrains options to ± 8 mm without geometry shift

9. Versatility

The Valor platform's adjustable chainstay system (408-433mm) allows dramatic handling transformation without changing frames. Shortening to 420mm would sharpen acceleration and tighten cornering response while maintaining the current 60mm trail character—perfect for riders who want more road bike snap. Lengthening keeps the current all-road stability. The headset angle adjustment range (-2° to $+2^\circ$) unlocks 50-70mm of achievable trail: slackening to 69.1° HTA would push trail to ~ 67 mm for maximum stability on rough descents, while steepening to 73.1° would drop trail to ~ 53 mm for quicker, more playful steering.

Tire size dramatically transforms this bike's character. The current 32mm setup balances road speed with comfort; mounting 28mm slicks would create a faster, more performance-oriented road bike, while 35-38mm rubber would unlock legitimate light gravel capability and transform deteriorated pavement into comfortable roads. The Grade 9 Titanium frame's infinite fatigue life means you can experiment endlessly—adjust geometry, swap tires, tune fit—and the frame will outlast every configuration change you make over decades of riding.

This platform spans the spectrum from spirited endurance road (short chainstays, steep HTA, 28mm tires) to confident all-road explorer (long chainstays, slack HTA, 38mm tires). The current configuration sits comfortably in all-road territory, ready for long mixed-surface rides with maximum comfort.

10. Summary

This Valor configuration serves riders who love exploring varied roads over long distances, who value comfort and confidence over outright speed, and who appreciate the supple, vibration-damping ride quality only titanium can deliver. The defining characteristic is the exceptionally upright 1.56 stack-to-reach ratio combined with stable, predictable 60mm trail steering—this is a bike that inspires confidence on rough descents and keeps you fresh over 100+ km rides. The titanium frame's natural compliance transforms imperfect roads into rideable adventures, filtering harshness while preserving the joy of feeling connected to the surface beneath you.

Citations

- [Meijaard et al. (2007): "Linearized dynamics equations for the balance and steer of a bicycle"](http://ruina.tam.cornell.edu/research/topics/bicycle_mechanics/FinalBicyclePaperv45wAppendix.pdf)
- [Rolo Bikes (2013): "The benefits of low flop geometry"](<https://www.rolobikes.com/pdf/rolo-wheel-flop.pdf>)
- [Fajans & Curry (2000): "Steering in bicycles and motorcycles"](https://physics.berkeley.edu/sites/default/files/bulk_3/SteerBikeAJP.PDF)
- [Jones, D.E.H. (1970): "The stability of the bicycle"](<https://home.phys.ntnu.no/brukdef/undervisning/tfy4145/diverse/UnridableBicycle.pdf>)
- [Schwab & Meijaard (2013): "A review on bicycle dynamics and rider control"](<http://bicycle.tudelft.nl/schwab/Publications/schwab2013review.pdf>)
- [Cain, Ashton-Miller & Perkins (2016): "On the Skill of Balancing While Riding a Bicycle"](<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0149340>)